

AMENDMENT TO THE CLAIMS


This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-12. (canceled)

13. (new) A method for dyeing hair comprising the steps of:

- (i) applying to hair an amount of hair colorant comprising at least one thiazolium azo dye of general formula (I) sufficient for dyeing the hair;
- (ii) leaving the hair colorant on the hair at a temperature of 15C to 50C for a period of 1 to 60 minutes;
- (iii) rinsing the hair with water; and
- (iv) drying the hair;



wherein:

R1 stands for a saturated or unsaturated (C₁-C₁₂)-alkyl group, a halogen atom-substituted (C₁-C₁₂)-alkyl group, a hydroxy-(C₁-C₁₂)-alkyl group, a (C₁-C₆)-alkoxy-(C₁-C₁₂)-alkyl group, an amino-(C₁-C₁₂)-alkyl group, a (C₁-C₆)-alkylamino-(C₁-C₁₂)-alkyl group, a di(C₁-C₆)-alkyl-amino-(C₁-C₁₂)-alkyl group, a cyano-(C₁-C₁₂)-alkyl group, a substituted or unsubstituted phenyl group or a substituted or unsubstituted benzyl group;

R2 and **R3** can be equal or different and, independently of each other, stand for hydrogen, a halogen atom, a saturated or unsaturated (C₁-C₁₂)-alkyl group, (C₁-C₁₂)-alkoxy group, a nitro group, an amino group, a (C₁-C₁₂)-alkylamino group, a di(C₁-C₁₂)-alkylamino group, a (C₁-C₁₂)-hydroxyalkylamino group, a di(C₁-C₁₂)-hydroxyalkylamino group, a substituted or unsubstituted phenyl group or a substituted or unsubstituted heteroaryl group;

R4 stands for hydrogen, a saturated or unsaturated (C₁-C₁₂)-alkyl group, a halogen atom-substituted (C₁-C₁₂)-alkyl group, a hydroxy-(C₁-C₁₂)-alkyl group, an amino-(C₁-C₁₂)-alkyl group or a benzyl group;

R5 and **R6** can be equal or different and, independently of each other, stand for hydrogen, a halogen atom, a saturated or unsaturated (C₁-C₁₂)-alkyl group, a hydroxyl group, a (C₁-C₁₂)-alkoxy group, a cyano group, a nitro group, an amino group, a (C₁-C₁₂)-alkylamino group or a di(C₁-C₁₂)-alkylamino group, and

A⁻ stands for an anion of an organic or inorganic acid.

14. (new) The method according to claim 13 wherein **R1** is a saturated or unsaturated (C₁-C₁₂)-alkyl group.

15. (new) The method according to claim 13 wherein **R4** is a saturated or unsaturated (C₁-C₁₂)-alkyl group.

16. (new) The method according to claim 13 wherein **A⁻** is a chloride, bromide, iodide, hydrogen sulfate, sulfate, toluenesulfonate, benzenesulfonate, monomethyl-sulfate, hexafluorophosphate, hexafluoroantimonate, tetrafluoroborate, tetraphenylborate, formate, acetate or propionate anion.

17. (new) The method according to claim 13 wherein the compound of formula (I) is selected from the group consisting of 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]-azo]thiazolium chloride, 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium bromide, 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium mono-methylsulfate, 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium acetate, 3,4-dimethyl-2-[[4-

[methyl(phenylmethyl)amino]phenyl]azo}thiazolium chloride, 3,4-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium bromide, 3,4-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium monomethylsulfate, 3,4-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium acetate, 3,5-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium chloride, 3,5-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium bromide, 3,5-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium monomethylsulfate, 3,5-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium acetate, 3,4,5-trimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium chloride, 3,4,5-trimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium bromide, 3,4,5-trimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium monomethylsulfate, 3,4,5-trimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium acetate, 5-bromo-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium chloride, 5-bromo-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium bromide, 5-bromo-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium monomethylsulfate, 5-bromo-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium acetate, 5-methoxy-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium chloride, 5-methoxy-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium bromide, 5-methoxy-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium monomethylsulfate, 5-methoxy-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium acetate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium chloride, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium bromide, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium monomethylsulfate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium acetate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4-dimethylthiazolium chloride, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4-dimethylthiazolium bromide, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4-dimethylthiazolium monomethylsulfate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4-dimethylthiazolium acetate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,5-dimethylthiazolium chloride, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,5-dimethylthiazolium bromide, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,5-dimethylthiazolium


monomethylsulfate, 2-{{4-[ethyl(phenylmethyl)amino]-2-methylphenyl}azo}-3,5-dimethylthiazolium acetate, 2-{{4-[ethyl(phenylmethyl)amino]-2-methylphenyl}azo}-3,4,5-trimethylthiazolium chloride, 2-{{4-[ethyl(phenylmethyl)amino]-2-methylphenyl}azo}-3,4,5-trimethylthiazolium bromide, 2-{{4-[ethyl(phenylmethyl)amino]-2-methylphenyl}azo}-3,4,5-trimethylthiazolium monomethylsulfate, 2-{{4-[ethyl(phenylmethyl)amino]-2-methylphenyl}azo}-3,4,5-trimethylthiazolium acetate, 5-bromo-2-{{4-[ethyl(phenylmethyl)amino]-2-methylphenyl}azo}-3-methylthiazolium chloride, 5-bromo-2-{{4-[ethyl(phenylmethyl)amino]-2-methylphenyl}azo}-3-methylthiazolium bromide, 5-bromo-2-{{4-[ethyl(phenylmethyl)amino]-2-methylphenyl}azo}-3-methylthiazolium monomethylsulfate, 5-bromo-2-{{4-[ethyl(phenylmethyl)amino]-2-methylphenyl}azo}-3-methylthiazolium acetate, 2-{{4-[ethyl(phenylmethyl)amino]-2-methylphenyl}azo}-5-methoxy-3-methylthiazolium chloride, 2-{{4-[ethyl(phenylmethyl)amino]-2-methylphenyl}azo}-5-methoxy-3-methylthiazolium bromide, 2-{{4-[ethyl(phenylmethyl)amino]-2-methylphenyl}azo}-5-methoxy-3-methylthiazolium monomethylsulfate and 2-{{4-[ethyl(phenylmethyl)amino]-2-methylphenyl}azo}-5-methoxy-3-methylthiazolium acetate.

18. (new) The method according to claim 13 wherein the hair colorant contains the compound of formula (I) in an amount from 0.01 to 10 weight percent.

19. (new) The method according to claim 13 wherein the hair is washed with a shampoo before drying.

20. (new) A method for simultaneously dyeing and setting hair comprising the steps of:

- (i) wetting the hair with an agent comprising at least one natural or synthetic polymer or modified polymer of natural origin customary for cosmetic agents and at least one thiazolium azo dye of general formula (I);
- (ii) styling the hair; and
- (iii) drying the hair;



wherein:

R1 stands for a saturated or unsaturated (C₁-C₁₂)-alkyl group, a halogen atom-substituted (C₁-C₁₂)-alkyl group, a hydroxy-(C₁-C₁₂)-alkyl group, a (C₁-C₆)-alkoxy-(C₁-C₁₂)-alkyl group, an amino-(C₁-C₁₂)-alkyl group, a (C₁-C₆)-alkylamino-(C₁-C₁₂)-alkyl group, a di(C₁-C₆)-alkyl-amino-(C₁-C₁₂)-alkyl group, a cyano-(C₁-C₁₂)-alkyl group, a substituted or unsubstituted phenyl group or a substituted or unsubstituted benzyl group;

R2 and **R3** can be equal or different and, independently of each other, stand for hydrogen, a halogen atom, a saturated or unsaturated (C₁-C₁₂)-alkyl group, (C₁-C₁₂)-alkoxy group, a nitro group, an amino group, a (C₁-C₁₂)-alkylamino group, a di(C₁-C₁₂)-alkylamino group, a (C₁-C₁₂)-hydroxyalkylamino group, a di(C₁-C₁₂)-hydroxyalkylamino group, a substituted or unsubstituted phenyl group or a substituted or unsubstituted heteroaryl group;

R4 stands for hydrogen, a saturated or unsaturated (C₁-C₁₂)-alkyl group, a halogen atom-substituted (C₁-C₁₂)-alkyl group, a hydroxy-(C₁-C₁₂)-alkyl group, an amino-(C₁-C₁₂)-alkyl group or a benzyl group;

R5 and **R6** can be equal or different and, independently of each other, stand for hydrogen, a halogen atom, a saturated or unsaturated (C₁-C₁₂)-alkyl group, a hydroxyl group, a (C₁-C₁₂)-alkoxy group, a cyano group, a nitro group, an amino group, a (C₁-C₁₂)-alkylamino group or a di(C₁-C₁₂)-alkylamino group, and

A⁻ stands for an anion of an organic or inorganic acid.

21. (new) The method according to claim 20 wherein **R1** is a saturated or unsaturated (C₁-C₁₂)-alkyl group.

22. (new) The method according to claim 20 wherein **R4** is a saturated or unsaturated (C₁-C₁₂)-alkyl group.


23. (new) The method according to claim 20 wherein **A⁻** is a chloride, bro-mide, iodide, hydrogen sulfate, sulfate, toluenesulfonate, benzenesulfonate, monomethyl-sulfate, hexafluorophosphate, hexafluoroantimonate, tetrafluoroborate, tetraphenyborate, formate, acetate or propionate anion.

24. (new) The method according to claim 20 wherein the compound of formula (I) is selected from the group consisting of 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium chloride, 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazoli-um bromide, 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium mono-methylsulfate, 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium ace-tate, 3,4-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium chloride, 3,4-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium bromide, 3,4-dime-thyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium monomethylsulfate, 3,4-di-methyl-2--[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium acetate, 3,5-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium chloride, 3,5-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium bromide, 3,5-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium monomethylsulfate, 3,5-dimethyl-2-[[4-[me-thyl(phenylmethyl)amino]phenyl]azo]thiazolium acetate, 3,4,5-trimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium chloride, 3,4,5-trimethyl-2-[[4-[methyl(phe-nylmethyl)amino]phenyl]azo]thiazolium bromide, 3,4,5-trimethyl-2-[[4-[methyl(phenyl-methyl)amino]phenyl]azo]thiazolium monomethylsulfate, 3,4,5-trimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium acetate, 5-bromo-3-methyl-2-[(4-[methyl(phenylmethyl)amino]-phenyl]azo]thiazolium chloride, 5-bromo-3-methyl-2-[(4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium bromide, 5-bromo-3-methyl-2-[(4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium monomethylsulfate, 5-bromo-3-methyl-2-[(4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium acetate, 5-methoxy-3-methyl-2-[(4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium chloride, 5-methoxy-3-methyl-2-[(4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium bromide, 5-methoxy-3-methyl-2-[(4-

[methyl(phenylmethyl)amino]phenyl]azo]thiazolium monomethylsulfate, 5-methoxy-3-methyl-2-[(4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium acetate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium chloride, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium bromide, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium monomethylsulfate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium acetate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4-dimethylthiazolium chloride, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4-dimethylthiazolium bromide, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4-dimethylthiazolium monomethylsulfate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4-dimethylthiazolium acetate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,5-dimethylthiazolium chloride, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,5-dimethylthiazolium bromide, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,5-dimethylthiazolium monomethylsulfate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,5-dimethylthiazolium acetate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4,5-trimethylthiazolium chloride, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4,5-trimethylthiazolium bromide, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4,5-trimethylthiazolium monomethylsulfate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4,5-trimethylthiazolium acetate, 5-bromo-2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium chloride, 5-bromo-2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium bromide, 5-bromo-2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium monomethylsulfate, 5-bromo-2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium acetate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-5-methoxy-3-methylthiazolium chloride, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-5-methoxy-3-methylthiazolium bromide, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-5-methoxy-3-methylthiazolium monomethylsulfate and 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-5-methoxy-3-methylthiazolium acetate.

25. (new) The method according to claim 20 wherein the hair colorant contains the compound of formula (I) in an amount from 0.01 to 10 weight percent.

26. (new) An agent for dyeing keratin fibers comprising at least one thiazolium azo dye of general formula (I) and at least one additional direct dye,



wherein:

R1 stands for a saturated or unsaturated (C₁-C₁₂)-alkyl group, a halogen atom-substituted (C₁-C₁₂)-alkyl group, a hydroxy-(C₁-C₁₂)-alkyl group, a (C₁-C₆)-alkoxy-(C₁-C₁₂)-alkyl group, an amino-(C₁-C₁₂)-alkyl group, a (C₁-C₆)-alkylamino-(C₁-C₁₂)-alkyl group, a di(C₁-C₆)-alkyl-amino-(C₁-C₁₂)-alkyl group, a cyano-(C₁-C₁₂)-alkyl group, a substituted or unsubstituted phenyl group or a substituted or unsubstituted benzyl group;

R2 and **R3** can be equal or different and, independently of each other, stand for hydrogen, a halogen atom, a saturated or unsaturated (C₁-C₁₂)-alkyl group, (C₁-C₁₂)-alkoxy group, a nitro group, an amino group, a (C₁-C₁₂)-alkylamino group, a di(C₁-C₁₂)-alkylamino group, a (C₁-C₁₂)-hydroxyalkylamino group, a di(C₁-C₁₂)-hydroxyalkylamino group, a substituted or unsubstituted phenyl group or a substituted or unsubstituted heteroaryl group;

R4 stands for hydrogen, a saturated or unsaturated (C₁-C₁₂)-alkyl group, a halogen atom-substituted (C₁-C₁₂)-alkyl group, a hydroxy-(C₁-C₁₂)-alkyl group, an amino-(C₁-C₁₂)-alkyl group or a benzyl group;

R5 and **R6** can be equal or different and, independently of each other, stand for hydrogen, a halogen atom, a saturated or unsaturated (C₁-C₁₂)-alkyl group, a hydroxyl group, a (C₁-C₁₂)-alkoxy group, a cyano group, a nitro group, an amino group, a (C₁-C₁₂)-alkylamino group or a di(C₁-C₁₂)-alkylamino group, and

A⁻ stands for an anion of an organic or inorganic acid.

27. (new) The agent as defined in claim 26, wherein the agent contains the additional direct dye in a total amount from 0.01 to 4 weight percent.
28. (new) The agent as defined in claim 26, wherein **R1** is a saturated or unsaturated (C₁-C₁₂)-alkyl group.
29. (new) The agent as defined in claim 28, wherein **R4** is a saturated or unsaturated (C₁-C₁₂)-alkyl group.
30. (new) The agent as defined in claim 26, wherein **A⁻** is a chloride, bro-mide, iodide, hydrogen sulfate, sulfate, toluenesulfonate, benzenesulfonate, monomethyl-sulfate, hexafluorophosphate, hexafluoroantimonate, tetrafluoroborate, tetraphenylborate, formate, acetate or propionate anion.
31. (new) The agent as defined in claim 26, wherein the compound of formula (I) is selected from the group consisting of 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]-azo]thiazolium chloride, 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazoli-um bromide, 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium mono-methylsulfate, 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium ace-tate, 3,4-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium chloride, 3,4-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium bromide, 3,4-dime-thyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium monomethylsulfate, 3,4-di-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium acetate, 3,5-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium chloride, 3,5-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium bromide, 3,5-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium monomethylsulfate, 3,5-dimethyl-2-[[4-[me-thyl(phenylmethyl)amino]phenyl]azo]thiazolium acetate, 3,4,5-trimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium chloride, 3,4,5-trimethyl-2-[[4-[methyl(phe-nylmethyl)amino]phenyl]azo]thiazolium bromide, 3,4,5-trimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium monomethylsulfate, 3,4,5-trimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium acetate, 5-bromo-3-methyl-2-[[4-[methyl-

(phenylmethyl)amino]-phenyl]azo]thiazolium chloride, 5-bromo-3-methyl-2-[(4-[methyl-(phenylmethyl)amino]phenyl]azo]thiazolium bromide, 5-bromo-3-methyl-2-[(4-[methyl-(phenylmethyl)amino]phenyl]azo]thiazolium monomethylsulfate, 5-bromo-3-methyl-2-[(4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium acetate, 5-methoxy-3-methyl-2-[(4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium chloride, 5-methoxy-3-methyl-2-[(4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium bromide, 5-methoxy-3-methyl-2-[(4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium monomethylsulfate, 5-methoxy-3-methyl-2-[(4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium acetate, 2-{[4-[ethyl-(phenylmethyl)amino]-2-methylphenyl]azo}-3-methylthiazolium chloride, 2-{[4-[ethyl-(phenylmethyl)amino]-2-methylphenyl]azo}-3-methylthiazolium bromide, 2-{[4-[ethyl-(phenylmethyl)amino]-2-methylphenyl]azo}-3-methylthiazolium monomethylsulfate, 2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-3-methylthiazolium acetate, 2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-3,4-dimethylthiazolium chloride, 2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-3,4-dimethylthiazolium bromide, 2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-3,4-dimethylthiazolium monomethylsulfate, 2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-3,4-dimethylthiazolium acetate, 2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-3,5-dimethylthiazolium chloride, 2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-3,5-dimethylthiazolium bromide, 2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-3,5-dimethylthiazolium monomethylsulfate, 2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-3,5-dimethylthiazolium acetate, 2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-3,4,5-trimethylthiazolium chloride, 2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-3,4,5-trimethylthiazolium bromide, 2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-3,4,5-trimethylthiazolium monomethylsulfate, 2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-3,4,5-trimethylthiazolium acetate, 5-bromo-2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-3-methylthiazolium chloride, 5-bromo-2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-3-methylthiazolium bromide, 5-bromo-2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-3-methylthiazolium monomethylsulfate, 5-bromo-2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-3-methylthiazolium acetate, 2-{[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo}-5-methoxy-3-methylthiazolium chlo-


ride, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-5-methoxy-3-methylthiazolium bromide, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-5-methoxy-3-methylthiazolium monomethylsulfate and 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-5-methoxy-3-methylthiazolium acetate.

32. (new) The agent as defined in claim 26, wherein the compound of formula (I) is present in an amount from 0.01 to 10 weight percent.

33. (new) The agent as defined in claim 26, wherein the agent has a pH from 3 to 10.

34. (new) The agent as defined in claim 26, wherein the agent is a hair colorant.

35. (new) An agent for dyeing keratin fibers comprising at least one thiazolium azo dye of general formula (I) and at least one natural polymer, synthetic polymer, or modified polymer of natural origin customary for cosmetic agents and is in the form of a setting tint or setting color,



wherein:

R1 stands for a saturated or unsaturated (C₁-C₁₂)-alkyl group, a halogen atom-substituted (C₁-C₁₂)-alkyl group, a hydroxy-(C₁-C₁₂)-alkyl group, a (C₁-C₆)-alkoxy-(C₁-C₁₂)-alkyl group, an amino-(C₁-C₁₂)-alkyl group, a (C₁-C₆)-alkylamino-(C₁-C₁₂)-alkyl group, a di(C₁-C₆)-alkylamino-(C₁-C₁₂)-alkyl group, a cyano-(C₁-C₁₂)-alkyl group, a substituted or unsubstituted phenyl group or a substituted or unsubstituted benzyl group;

R2 and **R3** can be equal or different and, independently of each other, stand for hydrogen, a halogen atom, a saturated or unsaturated (C₁-C₁₂)-alkyl group, (C₁-C₁₂)-alkoxy group, a

nitro group, an amino group, a (C₁-C₁₂)-alkylamino group, a di(C₁-C₁₂)-alkylamino group, a (C₁-C₁₂)-hydroxyalkylamino group, a di(C₁-C₁₂)-hydroxyalkylamino group, a substituted or unsubstituted phenyl group or a substituted or unsubstituted heteroaryl group;

R4 stands for hydrogen, a saturated or unsaturated (C₁-C₁₂)-alkyl group, a halogen atom-substituted (C₁-C₁₂)-alkyl group, a hydroxy-(C₁-C₁₂)-alkyl group, an amino-(C₁-C₁₂)-alkyl group or a benzyl group;

R5 and **R6** can be equal or different and, independently of each other, stand for hydrogen, a halogen atom, a saturated or unsaturated (C₁-C₁₂)-alkyl group, a hydroxyl group, a (C₁-C₁₂)-alkoxy group, a cyano group, a nitro group, an amino group, a (C₁-C₁₂)-alkylamino group or a di(C₁-C₁₂)-alkylamino group, and

A⁻ stands for an anion of an organic or inorganic acid.

36. (new) The agent as defined in claim 35, wherein the agent contains the additional direct dye in a total amount from 0.01 to 4 weight percent.

37. (new) The agent as defined in claim 35, wherein **R1** is a saturated or unsaturated (C₁-C₁₂)-alkyl group.

38. (new) The agent as defined in claim 37, wherein **R4** is a saturated or unsaturated (C₁-C₁₂)-alkyl group.

39. (new) The agent as defined in claim 35, wherein **A⁻** is a chloride, bro-mide, iodide, hydrogen sulfate, sulfate, toluenesulfonate, benzenesulfonate, monomethyl-sulfate, hexafluorophosphate, hexafluoroantimonate, tetrafluoroborate, tetraphenyborate, formate, acetate or propionate anion.

40. (new) The agent as defined in claim 35, wherein the compound of formula (I) is selected from the group consisting of 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]-azo}thiazolium chloride, 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazoli-um bromide, 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium mono-methylsulfate, 3-methyl-2-[[4-

[methyl(phenylmethyl)amino]phenyl]azo}thiazolium ace-tate, 3,4-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium chloride, 3,4-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium bromide, 3,4-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium monomethylsulfate, 3,4-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium acetate, 3,5-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium chloride, 3,5-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium bromide, 3,5-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium monomethylsulfate, 3,5-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium acetate, 3,4,5-trimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium chloride, 3,4,5-trimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium bromide, 3,4,5-trimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium monomethylsulfate, 3,4,5-trimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium acetate, 5-bromo-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium chloride, 5-bromo-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium bromide, 5-bromo-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium monomethylsulfate, 5-bromo-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium acetate, 5-methoxy-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium chloride, 5-methoxy-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium bromide, 5-methoxy-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium monomethylsulfate, 5-methoxy-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo}thiazolium acetate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium chloride, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium bromide, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium monomethylsulfate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium acetate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4-dimethylthiazolium chloride, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4-dimethylthiazolium bromide, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4-dimethylthiazolium monomethylsulfate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4-dimethylthiazolium acetate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,5-dimethylthiazolium chloride, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,5-dimethylthiazolium


bromide, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,5-dimethylthiazolium monomethylsulfate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,5-dimethylthiazolium acetate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4,5-trimethylthiazolium chloride, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4,5-trimethylthiazolium bromide, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4,5-trimethylthiazolium monomethylsulfate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3,4,5-trimethylthiazolium acetate, 5-bromo-2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium chloride, 5-bromo-2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium bromide, 5-bromo-2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium monomethylsulfate, 5-bromo-2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-3-methylthiazolium acetate, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-5-methoxy-3-methylthiazolium chloride, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-5-methoxy-3-methylthiazolium bromide, 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-5-methoxy-3-methylthiazolium monomethylsulfate and 2-[[4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo]-5-methoxy-3-methylthiazolium acetate.

41. (new) The agent as defined in claim 35, wherein the compound of formula (I) is present in an amount from 0.01 to 10 weight percent.

42. (new) The agent as defined in claim 35, wherein the agent has a pH from 3 to 10.

43. (new) The agent as defined in claim 35, wherein the agent is a hair colorant.

44. (new) An agent for dyeing keratin fibers comprising at least one thiazolium azo dye of general formula (I) and at least one oxidation dye precursor and wherein the agent is mixed prior to use with an oxidizing agent;



wherein:

R1 stands for a saturated or unsaturated (C₁-C₁₂)-alkyl group, a halogen atom-substituted (C₁-C₁₂)-alkyl group, a hydroxy-(C₁-C₁₂)-alkyl group, a (C₁-C₆)-alkoxy-(C₁-C₁₂)-alkyl group, an amino-(C₁-C₁₂)-alkyl group, a (C₁-C₆)-alkylamino-(C₁-C₁₂)-alkyl group, a di(C₁-C₆)-alkyl-amino-(C₁-C₁₂)-alkyl group, a cyano-(C₁-C₁₂)-alkyl group, a substituted or unsubstituted phenyl group or a substituted or unsubstituted benzyl group;

R2 and **R3** can be equal or different and, independently of each other, stand for hydrogen, a halogen atom, a saturated or unsaturated (C₁-C₁₂)-alkyl group, (C₁-C₁₂)-alkoxy group, a nitro group, an amino group, a (C₁-C₁₂)-alkylamino group, a di(C₁-C₁₂)-alkylamino group, a (C₁-C₁₂)-hydroxyalkylamino group, a di(C₁-C₁₂)-hydroxyalkylamino group, a substituted or unsubstituted phenyl group or a substituted or unsubstituted heteroaryl group;

R4 stands for hydrogen, a saturated or unsaturated (C₁-C₁₂)-alkyl group, a halogen atom-substituted (C₁-C₁₂)-alkyl group, a hydroxy-(C₁-C₁₂)-alkyl group, an amino-(C₁-C₁₂)-alkyl group or a benzyl group;

R5 and **R6** can be equal or different and, independently of each other, stand for hydrogen, a halogen atom, a saturated or unsaturated (C₁-C₁₂)-alkyl group, a hydroxyl group, a (C₁-C₁₂)-alkoxy group, a cyano group, a nitro group, an amino group, a (C₁-C₁₂)-alkylamino group or a di(C₁-C₁₂)-alkylamino group, and

A⁻ stands for an anion of an organic or inorganic acid.

45. (new) The agent as defined in claim 44, wherein the agent contains the additional direct dye in a total amount from 0.01 to 4 weight percent.

46. (new) The agent as defined in claim 44, wherein **R1** is a saturated or unsaturated (C₁-C₁₂)-alkyl group.

47. (new) The agent as defined in claim 46, wherein **R4** is a saturated or unsaturated (C₁-C₁₂)-alkyl group.

48. (new) The agent as defined in claim 44, wherein **A⁻** is a chloride, bro-mide, iodide, hydrogen sulfate, sulfate, toluenesulfonate, benzenesulfonate, monomethyl-sulfate, hexafluorophosphate, hexafluoroantimonate, tetrafluoroborate, tetraphenyborate, formate, acetate or propionate anion.

49. (new) The agent as defined in claim 44, wherein the compound of formula (I) is selected from the group consisting of 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium chloride, 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazoli-um bromide, 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium mono-methylsulfate, 3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium ace-tate, 3,4-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium chloride, 3,4-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium bromide, 3,4-dime-thyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium monomethylsulfate, 3,4-di-methyl-2--[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium acetate, 3,5-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium chloride, 3,5-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium bromide, 3,5-dimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium monomethylsulfate, 3,5-dimethyl-2-[[4-[me-thyl(phenylmethyl)amino]phenyl]azo]thiazolium acetate, 3,4,5-trimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium chloride, 3,4,5-trimethyl-2-[[4-[methyl(phe-nylmethyl)amino]phenyl]azo]thiazolium bromide, 3,4,5-trimethyl-2-[[4-[methyl(phenyl-methyl)amino]phenyl]azo]thiazolium monomethylsulfate, 3,4,5-trimethyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium acetate, 5-bromo-3-methyl-2-[[4-[methyl(phenylmethyl)amino]-phenyl]azo]thiazolium chloride, 5-bromo-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium bromide, 5-bromo-3-methyl-2-[[4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium monomethylsulfate, 5-bromo-3-methyl-2-[[4-

[methyl(phenylmethyl)amino]phenyl]azo]thiazolium acetate, 5-methoxy-3-methyl-2-[(4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium chloride, 5-methoxy-3-methyl-2-[(4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium bromide, 5-methoxy-3-methyl-2-[(4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium monomethylsulfate, 5-methoxy-3-methyl-2-[(4-[methyl(phenylmethyl)amino]phenyl]azo]thiazolium acetate, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3-methylthiazolium chloride, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3-methylthiazolium bromide, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3-methylthiazolium monomethylsulfate, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3-methylthiazolium acetate, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3,4-dimethylthiazolium chloride, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3,4-dimethylthiazolium bromide, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3,4-dimethylthiazolium monomethylsulfate, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3,4-dimethylthiazolium acetate, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3,5-dimethylthiazolium chloride, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3,5-dimethylthiazolium bromide, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3,5-dimethylthiazolium monomethylsulfate, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3,5-dimethylthiazolium acetate, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3,4,5-trimethylthiazolium chloride, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3,4,5-trimethylthiazolium bromide, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3,4,5-trimethylthiazolium monomethylsulfate, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3,4,5-trimethylthiazolium acetate, 5-bromo-2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3-methylthiazolium chloride, 5-bromo-2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3-methylthiazolium bromide, 5-bromo-2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3-methylthiazolium monomethylsulfate, 5-bromo-2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-3-methylthiazolium acetate, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-5-methoxy-3-methylthiazolium chloride, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-5-methoxy-3-methylthiazolium bromide, 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-5-methoxy-3-methylthiazolium monomethylsulfate and 2-[(4-[ethyl(phenylmethyl)amino]-2-methylphenyl]azo)-5-methoxy-3-methylthiazolium acetate.

50. (new) The agent as defined in claim 44, wherein the compound of formula (I) is present in an amount from 0.01 to 10 weight percent.

51. (new) The agent as defined in claim 44, wherein the agent has a pH from 3 to 10.

52. (new) The agent as defined in claim 44, wherein the agent is a hair colorant.